



King's Research Portal

Document Version

Early version, also known as pre-print

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Ginzburg, J., Fernandez, R., & Schlangen, D. (2007). Unifying Self- and Other- Repair. In *Decalog 2007 : proceedings of the eleventh Workshop on the Semantics and Pragmatics of Dialogue: May 30 - June 1 2007, Rovereto, Italy* Rotooffset Paganella. <http://cswww.essex.ac.uk/research/nle/decalog/>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Unifying Self- and Other-Repair

Jonathan Ginzburg

Department of Computer Science
King's College London
UK

Raquel Fernández and David Schlangen

Department of Linguistics
University of Potsdam
Germany

Abstract

We discuss similarities between mid-utterance self-correction, which is often seen as a phenomenon that lies outside the scope of theories of dialogue meaning, and other discourse phenomena, and argue that an approach that captures these similarities is desirable. We then provide a sketch of such an approach, using Ginzburg's KoS formalism, and discuss the implications of including 'sub-utterance-unit' phenomena in discourse theories.

1 Introduction

Unlike written language, spoken conversational language is full of what can be described as explicit traces of editing processes, as in the following example:¹

- (1) *I was one of the . I was responsible for all the planning and engineering*

In this example, the brief silence after *one of the* (represented here by a full stop) seems to prepare the 'editing operation' that is to follow in the form of a partial repetition of material, the result being the 'cleaned up' utterance *I was responsible for all the planning and engineering*, with the fragment *I was one of the* being struck from the record.

To our knowledge, this phenomenon of self-correction has not been dealt with in theories of dialogue meaning. And indeed, described as above, it seems that it is something that can safely be sourced out to 'earlier' processing stages which do the cleaning up, with the dialogue meaning then being defined over the cleaned up utterances.²

¹From the Switchboard corpus (Godfrey et al., 1992).

²This division of labour also seems to be presupposed by much of the computational work on automatically detecting and repairing dysfluent speech, as expressed e.g. in the following quote from (Heeman and Allen, 1999): "we propose

In this paper we will argue, following much work in the tradition of *conversational analysis* beginning with (Schegloff et al., 1977),³ that there are, in fact, strong similarities between self-correction and other discourse phenomena (Section 3), which make an approach that captures these similarities desirable. In contrast to conversation analytic work, however, we actually ground our proposal in a formal model: in Section 4 we sketch such an approach, couched in terms of the KoS formalism (Ginzburg and Cooper, 2004; Purver, 2004; Ginzburg, (forthcoming)). We also discuss there the implications of making such a move for the grammar/parser-discourse interface and for discourse theories in general. Some conclusions are provided in Section 5.

Before coming to this, however, we briefly give some background on speech dysfluencies in the next section and review some of the terminology from the literature.

2 Form and Function of Dysfluencies

In this section we discuss the 'syntax' of self-correction, classifications according to the relation of problematic material and replacement, and the kinds of problems that can be corrected with self-correction.

As has often been noted (see e.g. Levelt (1983), and references therein for earlier work), speech dysfluencies follow a fairly predictable pattern. The example in Figure 1 is annotated with the labels introduced by Shriberg (1994) (building on (Levelt, 1983)) for the different elements that can occur in a self-repair.

that these tasks [a.o. detecting and correcting speech repairs, the authors] can be done using local context and early in the processing stream."

³"Although self-initiation and other-initiation of repair are distinct types of possibilities [...] There are quite compelling grounds for seeing self and other-initiations to be related, and for seeing their relatedness to be organized." (Schegloff et al., 1977)

<i>until you're</i>		<i>at the le-</i>		<i>I mean</i>		<i>at the right-hand</i>		<i>edge</i>
start		reparandum	moment of interruption	editing terms		alteration		continuation

Figure 1: General pattern of self-repair

Of these elements, the editing term is always optional (although some marking, like an extended pause, seems to be always present (McKelvie, 1998)). The relation between reparandum and alteration can be used as the basis of a further classification:⁴ if the alteration differs strongly from the reparandum and does not form a coherent unit together with the start, or if alteration and continuation are not present at all, the dysfluency can be classified as an *aborted utterance* / *fresh start*. Other classes are *repair* (alteration 'replaces' reparandum) and *reformulation* (alteration elaborates on reparandum). The following gives examples for all three classes:⁵

- (2) a. { *I mean* } [*I, + I,*] -/ [*there are a lot, + there are so many*] *different songs,*
- b. [*We were + I was*] *lucky too that I only have one brother.*
- c. *at that point,* [*it, + the warehouse*] *was over across the road*

Within the class of repairs, finally, a further distinction can be made (Levelt, 1983) into *appropriateness-repairs* that replace material that is deemed inappropriate by the speaker given the message she wants to express (or has become so, after a change in the speaker's intentions), and *error-repairs*, where the material is erroneous.

3 From Other to Self

Figure 2 shows (constructed) examples of 'normal' discourse correction (a), two uses of clarification requests (b & c), correction within a turn (d), other-correction mid-utterance (e), and two examples of self-correction as discussed above (f & g). The first four examples clearly are instances of phenomena within the scope of discourse theories. What about the final two?

⁴This classification is based on (McKelvie, 1998; Heeman and Allen, 1999).

⁵The examples in this section are all taken from the Switchboard corpus (Godfrey et al., 1992), with dysfluencies annotated according to (Meeter et al., 1995): '+' marks the moment of interruption and separates reparandum from alteration, '{ }' brackets editing terms and filled pauses.

There are definite similarities between all these cases: (i) material is presented publicly and hence is open for inspection; (ii) a problem with some of the material is detected and signalled (= there is a 'moment of interruption'); (iii) the problem is addressed and repaired, leaving (iv) the incriminated material with a special status, but within the discourse context. That (i)-(iii) describe the situation in all examples in Figure 2 should be clear; that (iv) is the case also for self-corrections can be illustrated by the next example, which shows that self-corrected material is available for later reference and hence cannot be filtered out completely:⁶

- (3) [*Peter was + {well} he was*] *fired*

Further evidence that the self-corrected material has a discourse effect is provided by Brennan and Schober (2001), who found that in a situation with two possible referents, the fact that a description was self-corrected enabled listeners to draw the conclusion that the respective other referent was the correct one, before the correction was fully executed. Similarly, (Lau and Ferreira, 2005) showed that material present in the reparandum can influence subsequent sentence processing.

The structural similarities established, we come to the question of the potential differences. There is a clear difference in the contextual possibilities across utterances, depending on whether a turn change occurs or not, as illustrated in (4) and (5):

- (4) A: *Who likes Bo? Bo?* (= Does Bo like Bo?)

- (5) A: *Who likes Bo?*
B: *Bo?* (= Does Bo like Bo? or Who do you mean 'Bo'? or Are you asking who likes BO?)

Indeed, in line with the observations of (Schegloff et al., 1977), it seems that the range of utterances that occur within utterance by a single speaker are distinct though not disjoint from those that occur by a distinct speaker at a transition relevance point:

⁶The example is taken from (Heeman and Allen, 1999).




Figure 2: Types of Corrections / Clarifications

- (6) a. *Jo ... {wait/no/hang on/...} Jack is arriving tomorrow* (= I meant to say Jack, not Jo is arriving tomorrow)
- b. *Jo ... {wait/no/hang on/...} yeah Jo is arriving tomorrow* (= I did mean to say Jo is arriving tomorrow)
- c. *Jo ... {wait/no/hang on/...} Jo?* (= Did I say/mean 'Jo'?)...*{wait/no/hang on/...} Jack is arriving tomorrow* (= I meant to say Jack, not Jo is arriving tomorrow)
- d. *A: Jo ... um, uh quit* (= The word I was looking for after 'Jo' was 'quit').
- e. *A: Jo ... um, uh B: quit?* (= Was the word you were looking for after 'Jo' 'quit'?).

Our task, then, is to develop a formal model that can capture the similarities exhibited by self-initiated within-utterance repair and other-initiated cross-utterance repair, without neglecting the important characteristics that differentiate them. To this we turn now.

4 A Model of Other- and Self-Repair

4.1 KCRT: A Theory of Inter-Utterance, Other-Initiated Repair

For concreteness we take as our starting point the theory of CRification developed in (Ginzburg and

Cooper, 2004; Purver, 2004; Ginzburg, (forthcoming)) (henceforth Kos CR Theory (KCRT)). This theory attempts to explain a.o. the coherence of CRs/corrections such as the following:⁷

- (7) a. *A: Did Bo leave? B: Bo?* (= Who do you mean 'Bo'? or Are you asking if BO left?)
- b. *A: Did Bo phone? B: You mean Mo.*
- c. *A: Should we... B: leave?* (= Is 'leave' the word to be said *after* 'we'?)

The main features of KCRT are:

Initialization: Utterances are kept track of in a contextual attribute PENDING (cf. the G/DU bifurcation in PTT (Poesio and Traum, 1997).) in the immediate aftermath of the speech event. Given a presupposition that u is the most recent speech event and that T_u is a grammatical type that classifies u , a record of the form $\left[\begin{array}{l} \text{sit} = u \\ \text{sit-type} = T_u \end{array} \right]$ of type

LocProp (*locutionary proposition*), gets added to PENDING.

Contextual/phonological instantiation: In so far as A's information state IS_0 enables her to

⁷How to analyze examples like (7c) is actually only mentioned in passing in (Purver, 2004), given certain formal difficulties it involves, not least of which is parsing an incomplete utterance.

fully instantiate the contextual parameters specified in T_u , and $T_u.phon$ is uniquely specified, $\left[\begin{array}{l} \text{sit} = u \\ \text{sit-type} = T_u \end{array} \right]$ can trigger an illocutionary update of IS_0 (i.e. a new move is added to MOVES—an assertion, query etc.)

CR/Correction coherence: Failure to fully instantiate contextual parameters or recognize phonological types triggers CRification. This involves accommodation of questions into context by means of Clarification Context Update Rules (CCURs). Each CCUR specifies an accommodated MaxQUD built up from a sub-utterance u_1 of the target utterance, the maximal element of PENDING, *MaxPending*. Common to all CCURs is a license to follow up *MaxPending* with an utterance whose qud-update is *copropositional* with *MaxQud*⁸: either a CR which differs from *MaxQud* at most in terms of its domain, or a correction—a proposition that instantiates *MaxQud*. The CCURs differ primarily in the question whose accommodation into QUD they give rise to. (8) is a simplified formulation of one CCUR, (9)-(11) provide a specification of the *MaxQud* instantiation of other CCURs:

(8) Parameter identification:

Input: $\left[\begin{array}{l} \text{Spkr} : \text{Ind} \\ \text{MaxPending} : \text{LocProp} \\ u_0 \in \text{MaxPending.sit.constits} \end{array} \right]$

Output: $\left[\begin{array}{l} \text{MaxQUD} = \text{What did spkr mean by } u_0? \\ \text{LatestMove} : \text{LocProp} \\ c_1 : \text{CoProp}(\text{LatestMove.cont}, \text{MaxQUD}) \end{array} \right]$

(9) Parameter focussing: raises as *MaxQud*
 $\lambda x \text{MaxPending.content}(u_1.\text{content} \mapsto x)$

(10) Utterance repetition: raises as *MaxQud*
 $\lambda x \text{Utter}(A, u_1, x)$ (*What did A utter in u1?*
 “What did you say?”)

(11) Utterance prediction: raises as *MaxQud*
 $\lambda x \text{UtterAfter}(A, u_1, x)$ (*What will A utter after u1?*
 “What were you going to say?”)

⁸A query q updates QUD with q , whereas an assertion p updates QUD with $p?$. Two questions q_0 and q_1 are copropositional if there exists a record r such that $q_0(r) = q_1(r)$. This means that, modulo their domain, the questions involve similar answers.

Answers: Accepting an answer to a CR/correction gives rise to an modified *MaxPending* via **Contextual/phonological instantiation**: (in the case of content-related CRs (corrections): the contextual assignment of u is extended (replaced by a substitute); in the case of phonological CRs this applies to $T_u.phon$.)

Speaker/hearer asymmetry: Speakers cannot self-CR because their own utterance is downdated from PENDING following successful contextual parameter instantiation (which always applies to a speaker’s own utterance.). Hence, the different contextual possibilities, exemplified in (4) and (5).

CR accommodation: If A utters u and B follows up with a CR/correction, A accommodates the *MaxQud* B accommodated and $\left[\begin{array}{l} \text{sit} = u \\ \text{sit-type} = T_u \end{array} \right]$ becomes *MaxPending*.

4.2 Extending KCRT to Self-Initiated Mid-Utterance Repair

How do we extend this model to mid-utterance self and other correction? As things stand, there are two things that prevent KCRT from accounting for self-repair: (1) all CR/corrections are forced to occur after complete utterances, and (2) CR/corrections can only be posed by others (given that the speaker downdates PENDING immediately). Let us take up each of these issues in turn.

The first move we make is indeed to extend PENDING to incorporate utterances that are *in progress*, and hence, incompletely specified semantically and phonologically. Conceptually this is a natural step to make. Formally and methodologically this is a rather big step, as it presupposes the use of a grammar which can associate types word by word (or minimally constituent by constituent), as e.g. in Categorical Grammar, Dynamic Syntax, (Steedman, 2000; Kempson et al., 2000). It raises a variety of issues with which we cannot deal in the current paper: monotonicity, nature of incremental denotations etc.

For our current purposes, the decisions we need to make can be stated independently of the specific grammatical formalism used, modulo the fact that as in the KCRT work, we need to assume that grammatical types specify a feature/label/field CONSTITS which keeps track of all not just immediate constituents of a given speech event (gram-

matical type). The main assumptions we are forced to make concern where pending instantiation and contextual instantiation occurs, and more generally, the testing of the fit between the speech events and the types assigned to them. We assume that this takes place incrementally, say word by word.

The incrementalization of PENDING has good consequences, as well as certain seemingly undesirable ones. On the positive side, since PENDING now includes also incomplete utterances, we can now account also for CRs/other corrections that occur mid-utterance, dispreferred as they might be (Schegloff et al., 1977). One such corpus example is (12a). The constructed (12b) shows that in such contexts the same ambiguities are maintained as in cross-utterance cases exemplified above:

(12) a. *A: There are subsistence farmers that ...*
B: There are what? (attested example from the Potsdam Pentomino Corpus)

b. *A: Did Bo... (no pause) B: Bo?* (= Who do you mean 'Bo'? or Are you asking something about BO?) *A: I mean Mo/Yeah, Mo's partner.*

On the other hand, without saying more, it will overgenerate in precisely the way we were trying to avoid, given (4) and (5). We can block this via a route any dialogue theory has to go through in any case: moves such as acceptances involve obligatory turn change. For this reason KCRT already keeps track of speaker/addressee roles, while underspecifying these where the turn is up for grabs (as e.g. following the posing of a query.). So the CCURs we specified above will now carry information that ensures that the various interpolated utterances do indeed involve a turn change.

This in turn means that **simply enlarging the scope of what goes into PENDING has not offered a route to characterize the potential for mid-utterance self correction.** But this is probably inevitable: while there may be some cases such as (12) involving *other* participants, *self*-correction in mid-utterance (and elsewhere) involves, as we discussed earlier, the presence of an editing phrase (EditP) (encompassing also extended silences.). What we need to do, therefore, is to provide a means for licensing EditPs. This is simple to do: all we need to say is that an EditP can be interpolated essentially at any point, or more precisely, at any point where PENDING is

non-empty. (13) is an informal such specification. It enforces turn continuity and the non-inclusion of the EditP in PENDING:

(13) Edit Move Update Rule:

Input: $\left[\begin{array}{l} \text{Spkr} : \text{Ind} \\ \text{MaxPending} : \text{LocProp} \end{array} \right]$

Output: $\left[\begin{array}{l} \text{Spkr} = \text{Input.spkr} : \text{Ind} \\ \text{Pending} = \text{Input.MaxPending} : \text{LocProp} \\ \text{LatestMove} = \text{Edit}(\text{Spkr}, \text{MaxPending}) \end{array} \right]$

The output state this brings us to is a state where PENDING contains repairable material and the LatestMove is an EditP. Now we can specify coherent Self/Other corrections in a manner akin, though not identical to (8)-(11). We will assume the following as a tentative characterization, though clearly it is not exhaustive:

(14) ...u0...EditP u1 (= Spkr meant to utter u1)

(15) ...u0...EditP u0'? (= Did Spkr mean to utter u0?)

(16) A: ...u0...{um, uh} u1 (= Spkr meant u1 to be the next word after u0)

We sketch here only a rule that will capture (14) and (15). The URs in (17) take as input a state where the LatestMove is an EditP and specify a new state in which the MaxQUD is *What did spkr mean to utter at u0?* and where the new utterance has to be an instantiation of MaxQud (propositional or polar question):

(17) Utterance identification:

Input: $\left[\begin{array}{l} \text{Spkr} : \text{Ind} \\ \text{MaxPending} : \text{LocProp} \\ \text{LatestMove} = \text{EditP}(\text{Spkr}, \text{MaxPending}) \\ u0 \in \text{MaxPending.sit.constits} \end{array} \right]$

Output: $\left[\begin{array}{l} \text{MaxQUD} = \text{What did spkr mean to say at } u0? \\ \text{LatestMove} : \text{LocProp} \\ c2: \text{InstPropQ}(\text{LatestMove.cont}, \text{MaxQUD}) \end{array} \right]$

With this machinery in hand, we can now consider some examples:

1. Self-correction mid-utterance:

(18) *A: Peter. no Paul quit.*

1.a After utterance of 'Peter': in A's FACTS (shared assumptions etc—whatever underwrites presuppositions) the presuppositions that the most recent speech event is u0 ('Peter'), classified by a

type T_{u0} ; PENDING gets updated with the following record:

sit = u0; Sit-Type = 'Utterance whose first word is Peter; involves reference to p...'

1.b This allows for an EditP to be interpolated:
 LatestMove = Edit(A,MaxPending).

1.c This allows for utterance identification:
 MaxQUD = What did spkr mean to say at u0?;
 LatestMove: Assert(A, MeanUtter(A, 'Paul'))

1.d Accepting this gives rise to an application of Contextual/phonological instantiation: PENDING is modified to the following record:

sit = u1; Sit-Type = 'Utterance whose first word is Paul; involves reference to p...'

1.e Note: the utterance u0 is still in the information state, though not as a component of PENDING—PENDING was originally initialized due to the presence in FACTS of the proposition that the most recent speech event is u0 ('Peter'), classified by a type T_{u0} . Hence, anaphoric possibilities to this utterance are not eliminated.

2. Self-correction after utterance:

(19) A: *Peter quit. Hang on. Not Peter, I meant Paul.*

Same procedure as in 1., initiated with the completed utterance as MaxPending.

3. Other-correction, indirect:

(20) A: (1) *Peter is not coming.*
 B: *Peter?* (in 'indirect correction' reading)
 A: *Oh, sorry, I meant Paul.*

In consequence of B's utterance A applies CR accommodation, which makes *What did A mean by 'Peter'* MaxQud and (1) MaxPending. Applying Contextual/phonological instantiation after A's correction leads to a modification in (1).

4. other-correction, direct:

(21) A: (a) *Peter is not coming.*
 B: (b) *No,* (c) *Peter is, Paul isn't.*

This is simply a disagreement at the illocutionary level: A's assertion pushes ?Coming(peter) to MaxQud but not to FACTS, giving rise to the discussion which B initiates. If A accepts B's assertion (c) will be added to FACTS, whereas ?Coming(peter) gets downdated from QUD.

5 Conclusions

In this paper we have related self- and other-initiated repair. We have argued, following a long but unformalized tradition in Conversation Analysis, that the two processes bear significant similarities: a problem is detected with an utterance, this is signalled, and then the problem is addressed and repaired, leaving the incriminated material with a special status, but within the discourse context. We provide a unified account: a single repository, PENDING carries CR/correct-able material within and across utterances. Consequently, a single set of rules regulate the up- and downdating of PENDING, as well as the modification of its elements by answers to CRs or corrections, regardless of whether the utterances that are in progress or completed. Different rules trigger within and cross-utterance CRs/corrections, but that is as should be, as the form and content of these differ, as we have shown.

Acknowledgements This work was carried out while the first author was a senior visitor at the University of Potsdam within the DEAWU project. The work was supported by the EU (Marie Curie Programme) and Deutsche Forschungsgemeinschaft (Emmy Noether Programme).

References

- S. E. Brennan and M. F. Schober. 2001. How listeners compensate for disfluencies in spontaneous speech. *Journal of Memory and Language*, 44:274–296.
- J. Ginzburg. forthcoming *Semantics and Interaction in Dialogue*. CSLI Publications, Stanford: California. Draft chapters available from <http://www.dcs.kcl.ac.uk/staff/ginzburg>.
- J. Ginzburg and R. Cooper. 2004. Clarification, ellipsis, and the nature of contextual updates. *Linguistics and Philosophy*, 27(3):297–366.
- J. J. Godfrey, E. C. Holliman, and J. McDaniel. 1992. SWITCHBOARD: Telephone speech corpus for research and development. In *Proceedings of the IEEE Conference on Acoustics, Speech, and Signal Processing*, pages 517–520, San Francisco, USA.
- P. A. Heeman and J. F. Allen. 1999. Speech repairs, intonational phrases and discourse markers: Modeling speakers' utterances in spoken dialogue. *Computational Linguistics*, 25(4):527–571.
- R. Kempson, W. Meyer-Viol, and D. Gabbay. 2000. *Dynamic Syntax: The Flow of Language Understanding*. Blackwell, Oxford.

- E. F. Lau and F. Ferreira. 2005. Lingerings Effects of Disfluent Material on Comprehension of Garden Path Sentences *Language and Cognitive Processes*, 20(5):633–666
- W. J. Levelt. 1983. Monitoring and self-repair in speech. *Cognition*, 14(4):41–104.
- M. Meeter and A. Taylor. 1995. *Dysfluency Annotation Stylebook for the Switchboard Corpus*. University of Pennsylvania.
- D. McKelvie. 1998. The syntax of disfluency in spontaneous spoken language. HCRC Research Paper HCRC/RP-95, Human Communication Research Centre, Edinburgh.
- M. Poesio and D. Traum. 1997. Conversational actions and discourse situations. *Computational Intelligence*, 13:309–347.
- M. Purver. 2004. *The Theory and Use of Clarification in Dialogue*. Ph.D. thesis, King’s College, London.
- E. A. Schegloff, G. Jefferson, and H. Sacks. 1977. The preference for self-correction in the organisation of repair in conversation. *Language*, 53(2):361–382.
- E. E. Shriberg. 1994. *Preliminaries to a theory of speech disfluencies*. Ph.D. thesis, University of California at Berkeley, Berkeley, USA.
- M. Steedman. 2000. *The Syntactic Process*. Linguistic Inquiry Monographs. MIT Press, Cambridge.